



ESTWING[®]

AMERICAN MADE HAND TOOLS

TABLE OF CONTENTS

Estwing's History.....	4
Nail Hammers.....	6-9
Outdoor Tools.....	10-18
Specialty Tools.....	19-22
Hatchets & Roofing Tools...	23-25
Pry Bars.....	26-27
Geological Tools.....	28-33
Soft Face Hammers.....	34-35
International Hammers.....	36-38
Tool Specifications.....	40-69

AMERICAN MADE QUALITY

ESTWING®

For over ninety years, Estwing has taken pride in designing and manufacturing the finest American made hand tools. Our hammers and axes are forged in one piece of solid U.S. steel to last a lifetime. These are tools you will use and then hand down to the next generation.

Here at Estwing, we are constantly working to continue that legacy and provide the best tools available. We don't rest on our laurels, but continue to innovate, with each customer in mind, from the casual user to the serious professional. Estwing tools are crafted with quality, and all the tools shown in this catalog are proudly made in America.

ESTWING'S MISSION:

To provide the customer with the world's finest striking tools.



Estwing Manufacturing was founded in Rockford, Illinois by Ernest Estwing in 1923. He patented the one-piece solid steel forging for hammers and axes, which became the hallmark of Estwing tools. Our earlier hammers featured the iconic leather grip and can still be found in tool boxes across America.

Estwing is still family owned and committed to manufacturing in America. "Made in the U.S.A." means

a lot to us, our workers and our community. We take pride in our tools and our mission; to provide the consumer with the world's finest striking tools.

Our tools are made to last generations. It's not just a hand tool. It's a legacy. It's an Estwing.

QUALITY HANDTOOLS



FULLY FORGED IN ONE
PIECE OF U.S. MADE STEEL

FEATURES

All Estwing hammers and axes are forged in 1 piece, that is, the head and handle are forged in one solid piece. There are no head or handle-neck connections to loosen and this is the strongest construction known. Every hammer and axe is quality tested to standards no other tool can match.

American made steel is the proven leader in quality. Sourcing our steel from the United States also supports our national manufacturing base. When we say American Made, we mean it.

Estwing's nylon-vinyl grip, with its patented Shock Reduction feature, is permanently molded and bonded to the handle shank. This exclusive grip reduces the vibration transfer from the hammer blow to the user by as much as 70%. For the professional user who wields a hammer on a daily basis this provides unsurpassed comfort. No other hammer has this grip.

Many of our tools are offered with genuine leather grips. Laminated leather washers are pressed on and riveted, providing a comfortable leather grip that wears beautifully. Our leather grips are lacquered for a beautiful finish that only leather has.

Our patented end caps are added to some of our hammers. These end caps are super tough nylon, molded and bonded into the Shock Reduction Grip. The end caps on the bricklayer's hammers are used for setting bricks, and on the end of Engineer's hammers for protecting the grip.

These features are designed to ensure your Estwing tool is the most durable tool on the market. We make tools that last for generations.

SHOCK REDUCTION GRIP



LEATHER GRIP



END CAP



ESTWING®

NAIL HAMMERS

ESTWING HAMMERS LAST
GENERATIONS. IT'S NOT JUST A
HAND TOOL. IT'S A LEGACY.

NAIL HAMMERS

AMERICAN STEEL, FORGED IN ONE PIECE AND ARE AVAILABLE WITH OUR PATENTED SHOCK REDUCTION GRIP® OR GENUINE LEATHER GRIP. TOOL SIZES AND SPECIFICATIONS BEGIN ON PAGE 40.



RIP HAMMER
Shock Reduction Grip
~ 12 oz., 16 oz., 20 oz. ~
No. E3-12S, E3-16S, E3-20S



CLAW HAMMER
Shock Reduction Grip
~ 12 oz., 16 oz. ~
No. E3-12C, E3-16C



RIP HAMMER
Genuine Leather
~ 12 oz., 16 oz., 20 oz. ~
No. E12S, E16S, E20S



CLAW HAMMER
Genuine Leather
~ 12 oz., 16 oz., 20 oz. ~
No. E12C, E16C, E20C



HAMMERTOOTH®
Shock Reduction Grip
~ 22 oz., 24 oz. ~
No. E6-22T, E6-22TM, E6-24T, E6-24TM



FRAMING HAMMER
Shock Reduction Grip
~ 20 oz., 22 oz., 24 oz., 28 oz., 30 oz. ~
No. E3-20SM, E3-22CMR, E22CR,
E3-22CM, E3-22C, E3-22SMR, E3-22SR,
E3-22SM, E3-22S, E3-24SM, E3-24S,
E3-28SM, E3-28S, E3-30SM, E3-30S



BUILDER SERIES
FRAMING HAMMER
Shock Reduction Grip
~ 25 oz. Smooth or Milled ~
No. E3-25S, E3-25SM

NAIL HAMMERS

AMERICAN STEEL, FORGED IN ONE PIECE AND ARE AVAILABLE WITH OUR PATENTED SHOCK REDUCTION GRIP® OR GENUINE LEATHER GRIP. TOOL SIZES AND SPECIFICATIONS BEGIN ON PAGE 40.

ULTRA SERIES HAMMERS

ENGINEERED LIGHTER AND STRONGER

The sleek new profile makes them light and aerodynamic. An extra nail pulling notch is built into the head of our hammers for use in tight spots, along with a magnetic nail starter in the hammer head. Offered with our patented Shock Reduction Grip or genuine leather handle.



Shock Reduction Grip - Blue
~ 15 oz., 19 oz. Smooth or Milled ~
No. E6-15S, E6-15SM, E6-15SR, E6-19S, E6-19SM



Shock Reduction Grip - Black
~ 15 oz., 19 oz. Smooth or Milled ~
No. EB-15S, EB-15SM, EB-15SR, EB-19S, EB-19SM



Genuine Leather
~ 15 oz., 19 oz. Smooth or Milled ~
No. E15S, E15SM, E15SR, E19S, E19SM

ALUMINUM & STEEL NAIL HAMMERS

THE ESTWING AL-PRO HAMMER IS THE LATEST IN HAMMER DESIGN TECHNOLOGY. THE AL-PRO WAS ENGINEERED WITH THE PROFESSIONAL IN MIND FOR EXTENDED USAGE. IT PROVIDES POWER IN A LIGHT-WEIGHT PACKAGE, FOR THE BEST PERFORMANCE IN A HAMMER. AL-PRO IS MADE FROM FORGED AIRCRAFT ALUMINUM ALLOY, WHICH IS LIGHTER THAN TITANIUM. TOOL SIZES AND SPECIFICATIONS BEGIN ON PAGE 40.

NEW!

AL-PRO™ HAMMER FORGED ALUMINUM HAMMER

- MV² technology
- Forged aircraft aluminum alloy
- Lighter than titanium
- Forged steel cap joined with PERMA-CAP™ interface
- Forged interlocking steel claw
- Counter-bored high strength alloy fasteners
- Vibration dampening shot technology
- Patented Shock Reduction Grip®
- Magnetic nail starter in head



ENGLISH PATTERN NAIL HAMMERS



CLAW HAMMER (ENGLISH PATTERN)
Shock Reduction Grip
~ 24 oz. ~
No. E3-28C-24



CLAW HAMMER (ENGLISH PATTERN)
Genuine Leather
~ 24 oz. ~
No. E24C



RIP HAMMER (ENGLISH PATTERN)
Genuine Leather
~ 24 oz. ~
No. E24S



Shock Reduction Grip - Blue
~ Smooth or Milled ~
No. ALBL, ALBLM



Shock Reduction Grip - Black
~ Smooth or Milled ~
No. ALBK, ALBKM



PERFECTION IS NOT ATTAINABLE,
BUT IF WE CHASE PERFECTION
WE CAN CATCH EXCELLENCE.

~ VINCE LOMBARDI


ESTWING[®]

OUTDOOR TOOLS

OUTDOOR TOOLS ~ AXES

AMERICAN STEEL, FORGED IN ONE PIECE. AVAILABLE WITH OUR PATENTED SHOCK REDUCTION GRIP®. ALL OF OUR AXES COME WITH A NYLON SHEATH. TOOL SIZES AND SPECIFICATIONS BEGIN ON PAGE 40.

26" CAMPER'S AXE



16" CAMPER'S AXE



OUTDOOR TOOLS ~ AXES

AMERICAN STEEL, FORGED IN ONE PIECE WITH OUR PATENTED SHOCK REDUCTION GRIP®. ALL OF OUR AXES COME WITH A NYLON SHEATH. TOOL SIZES AND SPECIFICATIONS BEGIN ON PAGE 40.

CAMPER'S AXE WITH TENT STAKE PULLER



HUNTER'S AXE WITH SHEATH AND SHARPENING STONE





OUTDOOR TOOLS FOR THE
PROFESSIONAL AND THE
SERIOUS SPORTSMAN

OUTDOOR TOOLS ~ AXES

AMERICAN STEEL, FORGED IN ONE PIECE. AVAILABLE WITH OUR PATENTED SHOCK REDUCTION GRIP® OR GENUINE LEATHER GRIP. ALL OF OUR AXES COME WITH A NYLON SHEATH. TOOL SIZES AND SPECIFICATIONS BEGIN ON PAGE 40.

SPORTSMAN'S AXE



FIRESIDE FRIEND® SPLITTING TOOL



SURE SPLIT® SPLITTING WEDGE



SURE SPLIT® WEDGE ~ No. E-5

OUTDOOR TOOLS ~ AXES

AMERICAN STEEL, FORGED IN ONE PIECE. AVAILABLE WITH OUR PATENTED SHOCK REDUCTION GRIP® OR GENUINE LEATHER GRIP. ALL OF OUR AXES COME WITH A NYLON SHEATH. TOOL SIZES AND SPECIFICATIONS BEGIN ON PAGE 40.

TOMAHAWK AXE WITH SHEATH



DOUBLE BIT AXE WITH SHEATH



OUTDOOR TOOLS ~ KNIVES

AMERICAN STEEL, FORGED IN ONE PIECE. OUR KNIVES COME WITH A NYLON SHEATH. TOOL SIZES AND SPECIFICATIONS BEGIN ON PAGE 40.

MACHETE WITH SHEATH



BOWIE KNIVES WITH SHEATH



TANTO KNIVES WITH SHEATH



OUTDOOR TOOLS ~ ROCK PICK

AMERICAN STEEL, FORGED IN ONE PIECE. SHOCK REDUCTION GRIPS. AVAILABLE WITH OUR PATENTED SHOCK REDUCTION GRIP® OR GENUINE LEATHER GRIP. TOOL SIZES AND SPECIFICATIONS BEGIN ON PAGE 40

ROCK PICK

SHEATH SOLD SEPARATELY



#23




ROCK PICK ~ BLUE
Shock Reduction Grip
~
No. E3-22P



#22



ROCK PICK ~ LEATHER
Genuine Leather Grip
~
No. E30




ROCK PICK ~ SPECIAL EDITION LEATHER
Genuine Leather Grip
~
No. E30SE



ROCK PICK ~ ORANGE
Shock Reduction Grip
~
No. EO-22P

ESTWING®

SPECIALTY TOOLS



SPECIALTY TOOLS

AMERICAN STEEL, FORGED IN ONE PIECE WITH OUR PATENTED SHOCK REDUCTION GRIP®
TOOL SIZES AND SPECIFICATIONS BEGIN ON PAGE 40



DRILLING HAMMER
Shock Reduction Grip
~ 2 lb., 3 lb., 4 lb. ~
No. B3-2LB, B3-3LB, B3-4LB



DRILLING HAMMER ~ LONG HANDLE
Shock Reduction Grip
~ 4 lb. ~
No. B3-4LBL



LINEMAN'S HAMMER
Shock Reduction Grip
~ 2 Smooth Faces ~
No. E3-40L



LINEMAN'S HAMMER
Shock Reduction Grip
~ 1 Smooth Face, 1 Milled Face ~
No. E3-40LM



BALL PEEN HAMMER
Shock Reduction Grip
~ 8 oz., 12 oz., 16 oz., 24 oz., 32 oz. ~
No. E3-8BP, E3-12BP, E3-16BP,
E3-24BP, E3-32BP



ENGINEER'S HAMMER
Shock Reduction Grip
~
No. E6-48E

SPECIALTY TOOLS

AMERICAN STEEL, FORGED IN ONE PIECE WITH OUR PATENTED SHOCK REDUCTION GRIP®
TOOL SIZES AND SPECIFICATIONS BEGIN ON PAGE 40



WELDING CHIPPING HAMMER
Shock Reduction Grip
~
No. E3-WC



TINNER'S HAMMER
Shock Reduction Grip
~
No. T3-12, T3-18

DRYWALL HAMMERS



DRYWALL HAMMER ~ CROWNED & MILLED FACE
Shock Reduction Grip
~
No. E3-11

SPECIALTY TOOLS

AMERICAN STEEL, FORGED IN ONE PIECE WITH OUR PATENTED SHOCK REDUCTION GRIP® OR WOODEN HANDLE. TOOL SPECIFICATIONS BEGIN ON PAGE 40.

BRICKLAYER HAMMERS



Top view of the Big Blue Bricklayer Hammer showing wider blade and larger hammer face.



BIG BLUE BRICKLAYER
Shock Reduction Grip
~
No. E6-22BLC

PATENTED
END CAP



NEW!

LONG HANDLE - BIG BLUE BRICKLAYER
Shock Reduction Grip
~
No. E6-22BLC

PATENTED
END CAP



BRICKLAYER / MASON'S HAMMER
Shock Reduction Grip
~ 16 oz., 20 oz., 24 oz. ~
No. E3-16BLC, E3-20BLC, E3-24BLC




BRICKLAYER HAMMER
Wooden Handle
~
No. EW6-21BL



NEW!

LONG HANDLE - BRICKLAYER HAMMER
Wooden Handle
~
No. EW6-21BLL



ESTWING

ROOFING TOOLS

ROOFING TOOLS

AMERICAN STEEL, FORGED IN ONE PIECE WITH OUR PATENTED SHOCK REDUCTION GRIP®
TOOL SIZES AND SPECIFICATIONS BEGIN ON PAGE 40.



SHINGLER'S HAMMER
Shock Reduction Grip
~
No. E3-CA



SHINGLER'S HATCHET
Shock Reduction Grip
~
No. E3-S, E3-LS

REPLACEMENT BLADES & GAUGES



BLADES
~
No. B20



GAUGES
~
No. EG



BLADES &
REPLACEMENT
SCREWS
~
No. CA-39R

ROOFING KNIFE & REPLACEMENT BLADES



No. RK-7



No. R-1



No. R-2

HATCHETS & RIGGER'S AXE

AMERICAN STEEL, FORGED IN ONE PIECE. AVAILABLE WITH OUR PATENTED SHOCK REDUCTION GRIP®
OR GENUINE LEATHER GRIP. TOOL SIZES AND SPECIFICATIONS BEGIN ON PAGE 40.

CARPENTER'S HATCHET



CARPENTER'S HATCHET
Shock Reduction Grip
~
No. E3-2H



CARPENTER'S HATCHET
Genuine Leather Grip
~
No. E2H

RIGGER'S AXE



RIGGER'S AXE
Shock Reduction Grip
~
No. E3-R

THERE IS NO SUBSTITUTE
FOR HARD WORK.

~ THOMAS A. EDISON

ESTWING[®]

BARS & NAIL PULLERS

BARS & NAIL PULLERS

AMERICAN STEEL, FORGED IN ONE PIECE. TOOL SIZES AND SPECIFICATIONS BEGIN ON PAGE 40.

GOOSENECK WRECKING BARS



PRO-SERIES WRECKING BARS



PRO-CLAW[™] RSC BAR

ROOFING, SIDING & CONSTRUCTION
3-IN-1 RSC BAR



LIGHTWEIGHT I-BEAM CONSTRUCTION BAR



ESTWING[®]

GEOLOGICAL TOOLS



GEOLOGICAL TOOLS

AMERICAN STEEL, FORGED IN ONE PIECE. AVAILABLE WITH OUR PATENTED SHOCK REDUCTION GRIP® OR GENUINE LEATHER GRIP. TOOL SIZES AND SPECIFICATIONS BEGIN ON PAGE 40.

ROCK PICK



GEOLOGICAL TOOLS

AMERICAN STEEL, FORGED IN ONE PIECE. AVAILABLE WITH OUR PATENTED SHOCK REDUCTION GRIP® TOOL SIZES AND SPECIFICATIONS BEGIN ON PAGE 40.

BIG BLUE ROCK PICK




Estwing supports nationally recognized Burpee Museum of Natural History, in Rockford, Illinois.

GEOLOGICAL TOOLS

AMERICAN STEEL, FORGED IN ONE PIECE. TOOL SIZES AND SPECIFICATIONS BEGIN ON PAGE 40.



ENGINEER'S HAMMER
Shock Reduction Grip
No. E6-48E



GAD PRY BAR
No. GP-18

ROCK CHISELS

VINYL HANDLE WITH HARD CAP

Discontinued Item

7-1/2" ROCK CHISEL
No. ERC-7C



8-1/2" ROCK CHISEL
No. ERC-8C



12-1/8" ROCK CHISEL
No. ERC-9C



12" ROCK CHISEL
No. ERC-12C



GEOLOGICAL TOOLS

GOLD PANS



STEEL GOLD PAN
No. #10-10, #12-12, #14-14, #16-16

SAFETY FIRST:

- Nail Hammers are for driving and withdrawing common nails only.
- Drilling Hammers are intended to be used for striking chisels, punches, star drills and hardened nails.
- Ball Peen Hammers have two separate uses. The flat striking face of the ball peen is used for striking punches and chisels. The rounded ball peen end is used for riveting, shaping, and straightening unhardened metals.
- When striking a struck tool (chisel, punch, or countersink), the striking face of the hammer should have a diameter at least 3/8" larger than the face of the struck tool.
- Drywall Hammers are to be used for scoring and installing drywall.
- Shingler's Hatchets are to be used for installing and trimming composition, wood, and fiberglass shingles.
- Bricklayer Hammers are used for setting or splitting bricks.

Tools can be made to chip if struck against another tool or hard object, with possible eye or other bodily injury. Always wear safety goggles when using striking or struck tools. Bystanders shall also wear safety goggles.

Always discard tool if any of the following occur:



Chips or dents on face



Mushroom face



Crack in claw section



Dents in hammer handle

WARNING!


Never strike a hammer or any striking tool against another tool or hardened object.



PROTECT YOUR EYES WEAR SAFETY GOGGLES



OSHA regulation 29 CFR 1910.133 requires the use of eye protection not only for workers using striking tools, but also for nearby workers in the immediate working area. Similar requirements are contained in OSHA Construction Standards 29 CFR 1926.102. Mine Safety and Health Administration requires eye protection in the Mining Environment 30-CR 55.14.4, 30 CFR 56-15-4, 30 CFR 57-15-4, 30 CFR 75.1720 (a) and 30 CFR 77.1710 (a).



ESTWING HAMMERS
 LAST GENERATIONS.
 IT'S NOT JUST
 A HAND TOOL
 IT'S A LEGACY.

SOFT FACE HAMMERS

SOFT FACE HAMMERS

TOOL SIZES AND SPECIFICATIONS BEGIN ON PAGE 40.



DEADHEAD® BOUNCE RESISTANT
 BLACK RUBBER MALLET
 Hickory Handle
 No. DH-12, DH-18



DEADHEAD® BOUNCE RESISTANT
 NON-MARRING GREY RUBBER MALLET
 Hickory Handle
 No. DH-12N, DH-18N




BLACK & GREY RUBBER MALLET HAMMERS
 Hickory Handle
 No. DFH24



RED & YELLOW RUBBER MALLET HAMMERS
 Hickory Handle
 No. DFH12

INTERNATIONAL HAMMERS



INTERNATIONAL PATTERNS

AMERICAN STEEL, FORGED IN ONE PIECE AND ARE AVAILABLE WITH OUR PATENTED SHOCK REDUCTION GRIP® OR GENUINE LEATHER GRIP. TOOL SIZES AND SPECIFICATIONS BEGIN ON PAGE 40.

ENGLISH PATTERN HAMMER



CLAW HAMMER (ENGLISH PATTERN)
Shock Reduction Grip
No. E3-28C-24



CLAW HAMMER (ENGLISH PATTERN)
Genuine Leather
No. E24C



RIP HAMMER (ENGLISH PATTERN)
Genuine Leather
No. E24S

GERMAN PATTERN ROOFING HAMMER



DACHDECKER SPITZHAMMER
Shock Reduction Grip
No. E3-13P, E3-13PM



DACHDECKER SPITZHAMMER
Genuine Leather
No. E13P, E13PM

INTERNATIONAL PATTERNS

AMERICAN STEEL, FORGED IN ONE PIECE AND ARE AVAILABLE WITH OUR PATENTED SHOCK REDUCTION GRIP® OR GENUINE LEATHER GRIP. TOOL SIZES AND SPECIFICATIONS BEGIN ON PAGE 40.

GERMAN PATTERN HAMMER



SCHLOSSERHAMMER
Shock Reduction Grip
~
No. E3-300



SCHLOSSERHAMMER
Genuine Leather
~
No. E300

GERMAN PATTERN ROOFING HAMMER



LATTHAMMER
Shock Reduction Grip
~
No. E3-239M, E3-239MM, E3-239MS, E3-239S



LATTHAMMER
Genuine Leather
~
No. E239M, E239MM, E239MS, E239S

ESTWING EVERYWHERE



FOLLOW US!

Estwing's full line of tools can be found on our website, www.estwing.com. Our site features new products as they are introduced. We also feature videos, history, safety tips, and branded merchandise. You can also find us on Facebook and Twitter.

For customer service questions call 815.397.9558. Our manufacturing facilities are located in Rockford, IL. You can write us at:

Estwing Manufacturing, Co.
2647 8th Street
Rockford, IL 61109










estwing.com

RETAIL OUTLETS







Estwing's tools are available at leading retail stores. If you have any questions regarding distribution please call 815.397.9558.





TOOL SPECIFICATIONS

Page 7	Item No.	Description	Country of Origin	Handle Grip	Face Finish	Length approx. (in.)	Head Weight approx. (oz)	UPC	Inner Box Qty.
	E3-12S	Rip Claw Hammer	U.S.A.	Blue Shock Reduction Grip	Smooth	10.75	12	034139623014	4
	E3-16S	Rip Claw Hammer	U.S.A.	Blue Shock Reduction Grip	Smooth	13	16	034139623816	4
	E3-20S	Rip Claw Hammer	U.S.A.	Blue Shock Reduction Grip	Smooth	13.75	20	034139625018	4
	E3-12C	Curve Claw Hammer	U.S.A.	Blue Shock Reduction Grip	Smooth	10.75	12	034139622611	2
	E3-16C	Curve Claw Hammer	U.S.A.	Blue Shock Reduction Grip	Smooth	13	16	034139623618	2
	E12S	Rip Claw Hammer	U.S.A.	Genuine Leather	Smooth	11	12	034139611011	4
	E16S	Rip Claw Hammer	U.S.A.	Genuine Leather	Smooth	12.5	16	034139611615	4
	E20S	Rip Claw Hammer	U.S.A.	Genuine Leather	Smooth	13.5	20	034139612216	2
	E12C	Curve Claw Hammer	U.S.A.	Genuine Leather	Smooth	11	12	034139610816	4
	E16C	Curve Claw Hammer	U.S.A.	Genuine Leather	Smooth	12.5	16	034139611417	4
	E20C	Curve Claw Hammer	U.S.A.	Genuine Leather	Smooth	13.5	20	034139612018	4
	E6-22T	Hammertooth® Hammer	U.S.A.	Blue Shock Reduction Grip	Smooth	13.75	22	034139627111	4
	E6-22TM	Hammertooth® Hammer	U.S.A.	Blue Shock Reduction Grip	Milled	13.75	22	034139626916	4
	E6-24T	Hammertooth® Hammer	U.S.A.	Blue Shock Reduction Grip	Smooth	16	24	034139628163	4
	E6-24TM	Hammertooth® Hammer	U.S.A.	Blue Shock Reduction Grip	Milled	16	24	034139628118	2
	E3-20SM	Rip Claw Framing Hammer	U.S.A.	Blue Shock Reduction Grip	Milled	13.75	20	034139625216	4
	E3-22C	Curve Claw Framing Hammer	U.S.A.	Blue Shock Reduction Grip	Smooth	16	22	034139625414	4
	E3-22CM	Curve Claw Framing Hammer	U.S.A.	Blue Shock Reduction Grip	Milled	16	22	034139625612	4
	E3-22CMR	Curve Claw Framing Hammer	U.S.A.	Blue Shock Reduction Grip	Milled	13.75	22	034139625810	4
	E3-22CR	Curve Claw Framing Hammer	U.S.A.	Blue Shock Reduction Grip	Smooth	13.75	22	034139626015	4
	E3-22S	Rip Claw Framing Hammer	U.S.A.	Blue Shock Reduction Grip	Smooth	16	22	034139626411	4
	E3-22SM	Rip Claw Framing Hammer	U.S.A.	Blue Shock Reduction Grip	Milled	16	22	034139626619	4
	E3-22SMR	Rip Claw Framing Hammer	U.S.A.	Blue Shock Reduction Grip	Milled	13.75	22	034139626817	4
	E3-22SR	Rip Claw Framing Hammer	U.S.A.	Blue Shock Reduction Grip	Smooth	13.75	22	034139627012	4
	E3-24S	Rip Claw Framing Hammer	U.S.A.	Blue Shock Reduction Grip	Smooth	16	24	034139628019	4
	E3-24SM	Rip Claw Framing Hammer	U.S.A.	Blue Shock Reduction Grip	Milled	16	24	034139628217	4
	E3-28S	Rip Claw Framing Hammer	U.S.A.	Blue Shock Reduction Grip	Smooth	16	28	034139628811	2
	E3-28SM	Rip Claw Framing Hammer	U.S.A.	Blue Shock Reduction Grip	Milled	16	28	034139629016	4
	E3-30S	Rip Claw Framing Hammer	U.S.A.	Blue Shock Reduction Grip	Smooth	16	30	034139629214	4
E3-30SM	Rip Claw Framing Hammer	U.S.A.	Blue Shock Reduction Grip	Milled	16	30	034139629412	4	
	E3-25S	Rip Claw Framing Hammer	U.S.A.	Blue Shock Reduction Grip	Smooth	18	25	034139628262	4
	E3-25SM	Rip Claw Framing Hammer	U.S.A.	Blue Shock Reduction Grip	Milled	18	25	034139628316	2

TOOL SPECIFICATIONS

Page 8	Item No.	Description	Country of Origin	Handle Grip	Face Finish	Length approx. (in.)	Head Weight approx. (oz)	UPC	Inner Box Qty.
	E6-15S	Ultra Series Framing Hammer	U.S.A.	Blue Shock Reduction Grip.	Smooth	15.5	15	034139679080	2
	E6-15SM	Ultra Series Framing Hammer	U.S.A.	Blue Shock Reduction Grip	Milled	15.5	15	034139679097	2
	E6-15SR	Ultra Series Framing Hammer	U.S.A.	Blue Shock Reduction Grip	Smooth	13.75	15	034139679028	2
	E6-19S	Ultra Series Framing Hammer	U.S.A.	Blue Shock Reduction Grip	Smooth	15.5	19	034139679141	2
	E6-19SM	Ultra Series Framing Hammer	U.S.A.	Blue Shock Reduction Grip	Milled	15.5	19	034139679158	2
	EB-15S	Ultra Series Framing Hammer	U.S.A.	Black Shock Reduction Grip	Smooth	15.5	15	034139679103	2
	EB-15SM	Ultra Series Framing Hammer	U.S.A.	Black Shock Reduction Grip	Milled	15.5	15	034139679110	2
	EB-15SR	Ultra Series Framing Hammer	U.S.A.	Black Shock Reduction Grip	Smooth	13.5	15	034139679042	2
	EB-19S	Ultra Series Framing Hammer	U.S.A.	Black Shock Reduction Grip	Smooth	15.5	19	034139679165	2
	EB-19SM	Ultra Series Framing Hammer	U.S.A.	Black Shock Reduction Grip	Milled	15.5	19	034139679172	2
	E15S	Ultra Series Framing Hammer	U.S.A.	Genuine Leather	Smooth	15.5	15	034139679066	2
	E15SM	Ultra Series Framing Hammer	U.S.A.	Genuine Leather	Milled	15.5	15	034139679073	2
	E15SR	Ultra Series Framing Hammer	U.S.A.	Genuine Leather	Smooth	14	15	034139679004	2
	E19S	Ultra Series Framing Hammer	U.S.A.	Genuine Leather	Smooth	15.75	19	034139679127	2
	E19SM	Ultra Series Framing Hammer	U.S.A.	Genuine Leather	Milled	15.75	19	034139679134	2
	E3-28C-24	English Pattern Claw Hammer	U.S.A.	Blue Shock Reduction Grip	Smooth	13.5	24	034139628415	4
	E24C	English Pattern Claw Hammer	U.S.A.	Genuine Leather	Smooth	13.5	24	034139612810	4
	E24S	English Pattern Rip Hammer	U.S.A.	Genuine Leather	Smooth	13.5	24	034139613015	4

Page 9	Item No.	Description	Country of Origin	Handle Grip	Face Finish	Length approx. (in.)	Head Weight approx. (oz)	UPC	Inner Box Qty.
	ALBL	AL-Pro Aluminum Hammer	U.S.A.	Blue Shock Reduction Grip	Smooth	16	14	034139990031	1
	ALBLM	AL-Pro Aluminum Hammer	U.S.A.	Blue Shock Reduction Grip	Milled	16	14	034139990048	1
	ALBK	AL-Pro Aluminum Hammer	U.S.A.	Black Shock Reduction Grip	Smooth	16	14	034139990017	1
	ALBKM	AL-Pro Aluminum Hammer	U.S.A.	Black Shock Reduction Grip	Milled	16	14	034139990024	1

TOOL SPECIFICATIONS

Page 12	Item No.	Description	Country of Origin	Handle Grip	Cutting Edge approx. (in.)	Length approx. (in.)	Weight approx. (oz)	UPC	Inner Box Qty.
	E45A	Camper's Axe	U.S.A.	Blue Shock Reduction Grip	4	26.25	56	034139670216	1
	E45ASE	Camper's Axe, Special Edition	U.S.A.	Black Shock Reduction Grip	4	26.25	56	034139670223	1
	E44A	Camper's Axe	U.S.A.	Blue Shock Reduction Grip	4	18.75	46	034139670018	2
	E44ASE	Camper's Axe, Special Edition	U.S.A.	Black Shock Reduction Grip	4	18.75	46	034139670025	2
Page 12 Sheaths	Item No.	Description	Country of Origin	Material	For Use With	Length approx. (in.)	Weight approx. (oz)	UPC	Inner Box Qty.
	#9	Replacement Nylon Sheath	Taiwan	Blue Nylon	E44A, E45A	4.75	3	034139200406	5
	#15	Replacement Nylon Sheath	Taiwan	Black Nylon	E44ASE, E45ASE	4.75	3.2	034139200314	5













TOOL SPECIFICATIONS

Page 13	Item No.	Description	Country of Origin	Handle Grip	Cutting Edge approx. (in.)	Length approx. (in.)	Weight approx. (oz)	UPC	Inner Box Qty.
	E6-25A	Camper's Axe	U.S.A.	Blue Shock Reduction Grip	3.5	15	36	034139612094	4
	EB-25A	Camper's Axe	U.S.A.	Black Shock Reduction Grip	3.5	15	36	034139612001	4
	EO-25A	Camper's Axe	U.S.A.	Orange Shock Reduction Grip	3.5	15	36	034139612025	4
	EBHA	Hunter's Axe	U.S.A.	Black Shock Reduction Grip	Blade=3 Gut Hook=2.75	14.25	27	034139678007	2
	EOHA	Hunter's Axe	U.S.A.	Orange Shock Reduction Grip	Blade=3 Gut Hook=2.75	14.25	27	034139678205	2
Page 13 Sheaths	Item No.	Description	Country of Origin	Material	For Use With	Length approx. (in.)	Weight approx.(oz)	UPC	Inner Box Qty.
	#17	Replacement Nylon Sheath	Taiwan	Blue Nylon	E6-25A	4	3	034139200338	5
	#16	Replacement Nylon Sheath	Taiwan	Black Nylon	E24A, E24ASEA, EB-25A	4	3	034139200321	5
	#27	Replacement Nylon Sheath	Taiwan	Black/Orange Nylon	EO-25A	4	3	034139200338	5
	#20	Replacement Nylon Sheath	Taiwan	Black Nylon	EBHA, EOHA	9	6	034139200031	5
	#26	Replacement Nylon Sheath	Taiwan	Black/Orange Nylon	EBHA, EOHA	9	6	034139200093	5

TOOL SPECIFICATIONS

Page 15	Item No.	Description	Country of Origin	Handle Grip	Cutting Edge approx. (in.)	Length approx. (in.)	Weight approx. (oz)	UPC	Inner Box Qty.
	E14A	Sportsman's Axe	U.S.A.	Genuine Leather	2.75	12.5	22	034139611219	4
	E24A	Sportsman's Axe	U.S.A.	Genuine Leather	3.25	13.5	29	034139612414	2
	E24ASEA	Sportsman's Axe, Special Edition	U.S.A.	Genuine Leather	3.25	13	29	034139612421	2
	E3-FF4	Fireside Friend®	U.S.A.	Blue Shock Reduction Grip	2.375	14	69	034139610311	2
	EFF4SE	Fireside Friend®, Special Edition	U.S.A.	Genuine Leather	2.375	14.25	69	034139610328	2
	E-5	Sure Split® Wedge	U.S.A.	Solid Steel		9	74	034139740018	2
Page 15 Sheaths	Item No.	Description	Country of Origin	Material	For Use With	Length approx. (in.)	Weight approx. (oz)	UPC	Inner Box Qty.
	#16	Replacement Nylon Sheath	Taiwan	Black Nylon	E24A, E24ASEA, E6-25A	4	3.2	034139200321	5
	#28	Replacement Nylon Sheath	Taiwan	Blue Nylon	E3-FF4	3	3.5	034139200116	N/A
	#29	Replacement Nylon Sheath	Taiwan	Black Nylon	EFF4SE	3	3.5	034139200123	N/A

TOOL SPECIFICATIONS





Page 16	Item No.	Description	Country of Origin	Handle Grip	Cutting Edge approx. (in.)	Length approx. (in.)	Weight approx. (oz)	UPC	Inner Box Qty.
	E6-TA	Tomahawk Axe	U.S.A.	Blue Shock Reduction Grip	2- 1/2"	16	24	034139677017	2
	EBTA	Tomahawk Axe	U.S.A.	Black Shock Reduction Grip	2- 1/2"	16	24	034139677031	2
	ETA	Tomahawk Axe	U.S.A.	Genuine Leather	2- 1/2"	16.25	28	034139677024	2
	ETTA	Tomahawk Axe	U.S.A.	Desert Sand Shock Reduction Grip	2- 1/2"	16	24	034139677079	2
	E6-DBA	Double Bit Axe	U.S.A.	Blue Shock Reduction Grip	3"	17	32	034139677048	2
	EBDBA	Double Bit Axe	U.S.A.	Black Shock Reduction Grip	3"	17	32	034139677062	2
	EDBA	Double Bit Axe	U.S.A.	Genuine Leather	3"	17	38	034139677055	2
Page 16 Sheaths	Item No.	Description	Country of Origin	Material	For Use With	Length approx. (in.)	Weight approx. (oz)	UPC	Inner Box Qty.
	#13	Replacement Nylon Sheath	Taiwan	Blue Nylon	E6-TA	9	3.2	034139200208	5
	#11	Replacement Nylon Sheath	Taiwan	Black Nylon	EBTA, ETA	9	3.2	034139820000	5
	#18	Replacement Nylon Sheath	Taiwan	Desert Camo Nylon	ETTA	9	32	034139200017	5
	#14	Replacement Nylon Sheath	Taiwan	Blue Nylon	E6-DBA	9	3.2	034139200307	5
	#12	Replacement Nylon Sheath	Taiwan	Black Nylon	EBDBA, EDBA	9	3.2	034139820017	5



TOOL SPECIFICATIONS

Page 17	Item No.	Description	Country of Origin	Handle Grip	Cutting Edge approx. (in.)	Length approx. (in.)	Weight approx. (oz)	UPC	Inner Box Qty.
	EBM	Machete	U.S.A.	Black Shock Reduction Grip	10"	19.25	28	034139679332	2
	EBK-6	Bowie Knife - Six Inch	U.S.A.	Black Powder Coated Steel	6"	11	14	034139960034	2
	EBK-4	Bowie Knife - Four Inch	U.S.A.	Black Powder Coated Steel	4"	9	12	034139960027	2
	ETK-6	Tanto Knife - Six Inch	U.S.A.	Black Powder Coated Steel	6"	11	14	034139960010	2
	ETK-4	Tanto Knife - Four Inch	U.S.A.	Black Powder Coated Steel	4"	9	12	034139960003	2

Page 17 Sheaths	Item No.	Description	Country of Origin	Material	For Use With	Length approx. (in.)	Weight approx. (oz)	UPC	Inner Box Qty.
	#21	Replacement Nylon Sheath Machete	Taiwan	Black Nylon	EBM	13.5	10	034139200048	N/A
	#32	Replacement Nylon Sheath Four Inch Knife	Taiwan	Black Nylon	ETK-4, EBK-4	9	6	034139200154	N/A
	#33	Replacement Nylon Sheath Six Inch Knife	Taiwan	Black Nylon	ETK-6, ETK-6	11	6	034139200161	N/A










TOOL SPECIFICATIONS

Page 18	Item No.	Description	Country of Origin	Handle Grip	Length approx. (in.)	Head Weight approx. (oz)	UPC	Inner Box Qty.
	E3-22P	Pointed Tip Rock Pick	U.S.A.	Blue Shock Reduction Grip	13	22	034139626213	4
	E30	Pointed Tip Rock Pick	U.S.A.	Genuine Leather	13	22	034139613817	4
	E30SE	Pointed Tip Rock Pick	U.S.A.	Genuine Leather	13	22	034139613824	4
	EO-22P	Pointed Tip Rock Pick	U.S.A.	Orange Shock Reduction Grip	13	22	034139626312	4











Page 18 Sheaths	Item No.	Description	Country of Origin	Material	For Use With	Length approx. (in.)	Weight approx.(oz)	UPC	Inner Box Qty.
	#23	Replacement Nylon Sheath	Taiwan	Blue Nylon	E3-22P	8.75	5	034139200062	N/A
	#22	Replacement Nylon Sheath	Taiwan	Black Nylon	E30, E30SE, EO-22P	8.75	5	034139200055	N/A

Page 18	Item No.	Description	Country of Origin	Material	Length approx. (in.)	Weight approx. (oz)	UPC	Inner Box Qty.
	E-5	Sure Split® Wedge	U.S.A.	Solid Steel	9	74	034139740018	2
















TOOL SPECIFICATIONS

Page 20	Item No.	Description	Country of Origin	Handle Grip	Face Finish	Length approx. (in.)	Head Weight approx. (oz)	UPC	Inner Box Qty.
	B3-2LB	Drilling Hammer	U.S.A.	Blue Shock Reduction Grip	Smooth	10.5	32	034139620013	4
	B3-3LB	Drilling Hammer	U.S.A.	Blue Shock Reduction Grip	Smooth	11	48	034139620211	2
	B3-4LB	Drilling Hammer	U.S.A.	Blue Shock Reduction Grip	Smooth	11	64	034139620419	4
	B3-4LBL	Drilling Hammer	U.S.A.	Blue Shock Reduction Grip	Smooth	16	64	034139620617	2
	E3-40L	Lineman's Hammer (2 smooth faces)	U.S.A.	Blue Shock Reduction Grip	Smooth	14	40	034139629917	4
	E3-40LM	Lineman's Hammer (1 smooth face, 1 milled face)	U.S.A.	Blue Shock Reduction Grip	Smooth/ Milled	14	40	034139629924	4
	E3-8BP	Ball Peen Hammer	U.S.A.	Blue Shock Reduction Grip	Smooth	11	8	034139623113	2
	E3-12BP	Ball Peen Hammer	U.S.A.	Blue Shock Reduction Grip	Smooth	10.75	12	034139623311	4
	E3-16BP	Ball Peen Hammer	U.S.A.	Blue Shock Reduction Grip	Smooth	13.25	16	034139623410	2
	E3-24BP	Ball Peen Hammer	U.S.A.	Blue Shock Reduction Grip	Smooth	13.5	24	034139627814	2
	E3-32BP	Ball Peen Hammer	U.S.A.	Blue Shock Reduction Grip	Smooth	14.25	32	034139629610	4
	E6-48E	Engineer Hammer	U.S.A.	Blue Shock Reduction Grip	Smooth	14.75	48	034139620310	4
Page 21	Item No.	Description	Country of Origin	Handle Grip	Face Finish	Length approx. (in.)	Head Weight approx. (oz)	UPC	Inner Box Qty.
	E3-WC	Welding Chipping Hammer	U.S.A.	Blue Shock Reduction Grip	N/A	11	14	034139621812	4
	T3-12	Tinner's Hammer	U.S.A.	Blue Shock Reduction Grip	Smooth	11	12	034139614517	4
	T3-18	Tinner's Hammer	U.S.A.	Blue Shock Reduction Grip	Smooth	12.5	18	034139614715	4
	E3-11	Drywall Hammer	U.S.A.	Blue Shock Reduction Grip	Milled	14	11	034139622215	2









TOOL SPECIFICATIONS

Page 22	Item No.	Description	Country of Origin	Handle Grip	Face Finish	Length approx. (in.)	Head Weight approx. (oz)	UPC	Inner Box Qty.
	E6-22BLC	Big Blue Bricklayer Hammer	U.S.A.	Blue Shock Reduction Grip	Smooth	12	22	034139627661	2
	E6-22BLCL	Long Handle Big Blue Bricklayer Hammer	U.S.A.	Blue Shock Reduction Grip	Smooth	18	22	034139627678	2
	E3-16BLC	Bricklayer Hammer	U.S.A.	Blue Shock Reduction Grip	Smooth	10.75	16	034139622512	4
	E3-20BLC	Bricklayer Hammer	U.S.A.	Blue Shock Reduction Grip	Smooth	11.25	20	034139624516	2
	E3-24BLC	Bricklayer Hammer	U.S.A.	Blue Shock Reduction Grip	Smooth	11.25	24	034139627715	4
	EW6-21BL	Bricklayer Hammer	U.S.A.	Hickory Handle	Smooth	12.5	24	034139627708	2
	EW6-21BLL	Bricklayer Hammer	U.S.A.	Hickory Handle	Smooth	14	24	034139627807	2
Page 24	Item No.	Description	Country of Origin	Handle Grip	Cutting Edge approx. (in.)	Length approx. (in.)	Head Weight Weight (oz)	UPC	Inner Box Qty.
	E3-CA	Shingler's Hammer	U.S.A.	Blue Shock Reduction Grip	Milled	12.5	35	034139620815	2
	E3-LS	Shingler's Hatchet	U.S.A.	Blue Shock Reduction Grip	Milled	12.75	30	034139621614	4
	E3-S	Shingler's Hatchet	U.S.A.	Blue Shock Reduction Grip	Milled	12.5	42	034139621416	4
	Item No.	Description	Country of Origin	Length approx. (in.)	UPC	Inner Box Qty.			
	B20	Replaceable Blades for E3-CA (20 blades per pack)	U.S.A.	2	034139730910	N/A			
	EG	Gauges for E3-CA (10 gauges per pack)	U.S.A.	3.5	034139730415	N/A			
	CA-39R	Blades & Replacement Screws (3 blades, 1 gauge, and screws per card)	U.S.A.	2	034139730811	N/A			



TOOL SPECIFICATIONS


Page 24 (continued)	Item No.	Description	Country of Origin	Length approx. (in.)	Weight approx. (oz)	UPC	Inner Box Qty.		
	RK-7	Roofing Knife	U.S.A.	8.25	5	034139621119	10		
	R-1	Replacement Butterfly Blades	U.S.A.	5.87	0.64	034139621126	10		
	R-2	Replacement Hook Blades	U.S.A.	5.87	0.64	034139621133	10		
Page 25	Item No.	Description	Country of Origin	Handle Grip	Cutting Edge approx.(inches)	Length approx. (inches)	Head Weight approx. (oz)	UPC	Inner Box Qty.
	E3-2H	Carpenter's Hatchet	U.S.A.	Blue Shock Reduction Grip	3.6	13	33	034139624219	4
	E2H	Carpenter's Hatchet	U.S.A.	Genuine Leather	3.6	13	33	034139611813	4
	E3-R	Rigger's Axe	U.S.A.	Blue Shock Reduction Grip	Milled	17	35	034139621218	2
Page 27	Item No.	Description	Country of Origin	Length approx. (in.)	Weight approx. (oz)	UPC	Inner Box Qty.		
	EWB-12	Gooseneck Wrecking Bar	U.S.A.	12	24	034139100010	4		
	EWB-18	Gooseneck Wrecking Bar	U.S.A.	18	28	034139100119	4		
	EWB-24	Gooseneck Wrecking Bar	U.S.A.	24	64	034139100218	4		
	EWB-30	Gooseneck Wrecking Bar	U.S.A.	30	74	034139100317	4		
	EWB-36	Gooseneck Wrecking Bar	U.S.A.	36	80	034139100416	4		
	EWB-24PS	Pro Series Wrecking Bar	U.S.A.	24	83.2	034139200215	2		
	EWB-36PS	Pro Series Wrecking Bar	U.S.A.	36	116.8	034139200413	2		
	RSC	Roofing Siding Construction Bar	U.S.A.	16	32	034139104414	2		
	PB-18	I-Beam Construction Bar	U.S.A.	18	24	034139650218	2		

TOOL SPECIFICATIONS


Page 30	Item No.	Description	Country of Origin	Handle Grip	Face Finish	Length approx. (in.)	Head Weight approx. (oz)	UPC	Inner Box Qty.
	E3-22P	Pointed Tip Rock Pick	U.S.A.	Blue Shock Reduction Grip	Smooth	13	22	034139626213	4
	E3-14P	Pointed Tip Rock Pick	U.S.A.	Blue Shock Reduction Grip	Smooth	13	14	034139623212	4
	E30	Pointed Tip Rock Pick	U.S.A.	Genuine Leather	Smooth	13	22	034139613817	4
	E30SE	Pointed Tip Rock Pick	U.S.A.	Genuine Leather	Smooth	13	22	034139613824	4
	EO-22P	Pointed Tip Rock Pick	U.S.A.	Orange Shock Reduction Grip	Smooth	13	22	034139626312	4
	E6-24PC	Big Face Rock Pick	U.S.A.	Blue Shock Reduction Grip	Smooth	13.5	24	034139627289	2
	E3-13P	Lightweight Pointed Tip Rock Pick	U.S.A.	Blue Shock Reduction Grip	Smooth	12.5	13	034139763611	4
	E3-13PM	Lightweight Pointed Tip Rock Pick	U.S.A.	Blue Shock Reduction Grip	Milled	12.5	13	034139764014	4
	E13P	Lightweight Pointed Tip Rock Pick	U.S.A.	Genuine Leather	Smooth	13	13	034139763413	4
	E13PM	Lightweight Pointed Tip Rock Pick	U.S.A.	Genuine Leather	Milled	13	13	034139763819	4
	E3-23LP	Pointed Tip Rock Pick	U.S.A.	Blue Shock Reduction Grip	Smooth	16	22	034139627210	4





TOOL SPECIFICATIONS

Page 31	Item No.	Description	Country of Origin	Handle Grip	Face Finish	Length approx. (in.)	Head Weight approx. (oz)	UPC	Inner Box Qty.
	E6-22BLC	Big Blue Rock Pick Chisel Edge	U.S.A.	Blue Shock Reduction Grip	Smooth	12	22	034139627661	2
	E6-22BLCL	Long Handle Big Blue Rock Pick Chisel Edge	U.S.A.	Blue Shock Reduction Grip	Smooth	18	22	034139627661	2
	E3-16BLC	Rock Pick Chisel Edge	U.S.A.	Blue Shock Reduction Grip	Smooth	10.75	16	034139622512	4
	E3-20BLC	Rock Pick Chisel Edge	U.S.A.	Blue Shock Reduction Grip	Smooth	11.25	20	034139 624516	4
	E3-24BLC	Rock Pick Chisel Edge	U.S.A.	Blue Shock Reduction Grip	Smooth	11.25	24	034139627715	4
	BP500	Burpee Pick	U.S.A.	Blue Shock Reduction Grip	N/A	17	36	034139784920	1
	GP100	Geo / Paleo Pick	U.S.A.	N/A	N/A	25.5	64	034139784913	1










Page 32	Item No.	Description	Country of Origin	Handle Grip	Face Finish	Length approx. (in.)	Head Weight approx. (oz)	UPC	Inner Box Qty.
	E6-48E	Engineer's Hammer	U.S.A.	Blue Shock Reduction Grip	Smooth	14.75	48	034139620310	4
	GP-18	Gad Pry Bar	U.S.A.	N/A	N/A	18	20	034139 650010	2
	ERC-7C	7-1/2" Rock Chisel	U.S.A.	Vinyl w/ Plastic End Cap	N/A	8.5	24	034139690115	6
	ERC-8C	8-1/2" Rock Chisel	U.S.A.	Vinyl w/ Plastic End Cap	N/A	8.5	18	034139690122	6
	ERC-9C	12-1/8" Rock Chisel	U.S.A.	Vinyl w/ Plastic End Cap	N/A	12.25	26	034139690139	6
	ERC-12C	12" Rock Chisel	U.S.A.	Vinyl w/ Plastic End Cap	N/A	12	8	034139690146	6

TOOL SPECIFICATIONS

Page 33	Item No.	Description	Country of Origin	Material	Length approx. (in.)	Weight approx. (oz)	UPC	Inner Box Qty.
	#10-10	Steel Gold Pan	U.S.A.	Steel	10	8	034139860013	BULK
	#12-12	Steel Gold Pan	U.S.A.	Steel	12	12	034139860211	BULK
	#14-14	Steel Gold Pan	U.S.A.	Steel	14	20	034139860419	BULK
	#16-16	Steel Gold Pan	U.S.A.	Steel	16	28	034139860617	BULK

Page 35	Item No.	Description	Country of Origin	Handle Grip	Length approx. (in.)	Head Weight approx. (oz)	UPC	Inner Box Qty.
	DH-12	Deadhead® Rubber Mallet	U.S.A.	Hickory Handle	13	12	034139311010	2
	DH-18	Deadhead® Rubber Mallet	U.S.A.	Hickory Handle	15	18	034139311218	2
	DH-12N	Deadhead® Rubber Mallet	U.S.A.	Hickory Handle	13	12	034139316817	2
	DH-18N	Deadhead® Rubber Mallet	U.S.A.	Hickory Handle	15	18	034139317012	2
	DFH-24	Double Faced Mallet	U.S.A.	Hickory Handle	14	34	034139160205	2
	DFH-12	Double Faced Mallet	U.S.A.	Hickory Handle	12.5	19.4	034139160328	2

TOOL SPECIFICATIONS

Page 37	Item No.	Description	Country of Origin	Handle Grip	Face Finish	Length approx. (in.)	Head Weight approx. (oz)	UPC	Inner Box Qty.
	E3-28C-24	English Pattern Claw Hammer	U.S.A.	Blue Shock Reduction Grip	Smooth	13.5	24	034139628415	4
	E24C	English Pattern Claw Hammer	U.S.A.	Genuine Leather	Smooth	13.5	24	034139612810	4
	E24S	English Pattern Rip Hammer	U.S.A.	Genuine Leather	Smooth	13.5	24	034139613015	4
	E3-13P	Dachdecker Spitzhammer	U.S.A.	Blue Shock Reduction Grip	Smooth	12.5	13	034139763611	4
	E3-13PM	Dachdecker Spitzhammer	U.S.A.	Blue Shock Reduction Grip	Milled	12.5	13	034139764014	4
	E13P	Dachdecker Spitzhammer	U.S.A.	Genuine Leather	Smooth	12.5	13	034139763413	4
	E13PM	Dachdecker Spitzhammer	U.S.A.	Genuine Leather	Milled	12.5	13	034139763819	4
Page 38	Item No.	Description	Country of Origin	Handle Grip	Face Finish	Length approx. (in.)	Head Weight approx. (oz)	UPC	Inner Box Qty.
	E3-300	German Pattern Schlosserhammer	U.S.A.	Blue Shock Reduction Grip	Smooth	12	11	034139760610	4
	E300	German Pattern Schlosserhammer	U.S.A.	Genuine Leather	Smooth	12	11	034139760016	4
	E3-239M	German Latthammer	U.S.A.	Blue Shock Reduction Grip	Milled	13	21	034139762416	4
	E3-239MM	German Latthammer w/ Magnet	U.S.A.	Blue Shock Reduction Grip	Milled	13	21	034139762010	4
	E3-239MS	German Latthammer w/ Magnet	U.S.A.	Blue Shock Reduction Grip	Smooth	13	21	034139762218	4
	E3-239S	German Latthammer	U.S.A.	Blue Shock Reduction Grip	Smooth	13	21	034139762614	4
	E239M	German Latthammer	U.S.A.	Genuine Leather	Milled	13	21	034139761617	4
	E239MM	German Latthammer w/ Magnet	U.S.A.	Genuine Leather	Milled	13	21	034139761211	4
	E239MS	German Latthammer w/ Magnet	U.S.A.	Genuine Leather	Smooth	13	21	034139761419	4
	E239S	German Latthammer	U.S.A.	Genuine Leather	Smooth	13	21	034139761815	4

AMERICAN MADE HAND TOOLS

ESTWING[®]

ESTWING MANUFACTURING CO., ROCKFORD, IL 61109 | WWW.ESTWING.COM